

Product Identifier: Advanta™ NGS Preamp Reagent Kit

Catalog ID number: Cat# 101-7725, 101-7726

SDS ID: 101-7933 Revision A1

SECTION 1 - IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Contact information

General Fluidigm Corporation

7000 Shoreline Court Suite 100, South San Francisco, CA 94080

Main (U.S.): +1 (650) 266-6000 E-mail: techsupport@fluidigm.com

Emergency telephone

number

+ (650) 266-6100 (outside US) + (866) 358-4354 (toll free)

Product identifier Advanta™ NGS Preamp Reagent Kit

Synonyms None identified **Trade names** None identified

Chemical family Mixture

Relevant identified uses of the substance or mixture and uses advised against

For Research Use Only. Not for use in diagnostic procedures.

This SDS is written to address potential health and safety issues associated with the Note

handling of this reagent kit. For occupational health and safety issues associated with

manufacture of this kit, please consult the SDSs of the individual ingredients.

SECTION 2 - HAZARDS IDENTIFICATION

This product contains four (4) parts. The following provides the hazard classification for each part.

Part 1: TSP Sample Loading Reagent V2 (Part #: 101-7634)

Classification of the substance or mixture

Globally Harmonized

System [GHS]

Corrosive (eye) - Category 1.

AU Hazard Classification

(NOHSC)

Hazardous Substance. Hazardous goods.

Label elements

GHS hazard pictogram



GHS signal word

Danger

GHS hazard statements

H318 - Causes serious eye damage.

GHS precautionary

statements

P280 - Wear protective gloves/eye protection/face protection. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a Poison Center or

doctor/physician.

Other hazards

May cause eye corrosion/irritation. Part/mixture not yet fully tested.

Note

This part of the product is classified as hazardous according to Regulation EC No 1272/2008 (EU CLP) and Hazard Communication Standard No. 1910.1200 (US OSHA). The pharmacological, toxicological and ecological properties of this part/mixture have not

been fully characterized.



Product Identifier: Advanta™ NGS Preamp Reagent Kit

Catalog ID number: Cat# 101-7725, 101-7726

SDS ID: 101-7933 Revision A1

Part Description and Number

GHS and Australian Hazard Classification

Part 2: TSP DNA Polymerase (Part #: 101-0995)

None required.

Part 3: TSP Master Mix (Part #: 101-3050/101-3055)

Part 4: PCR Water (Part #: 100-5941)

None required.

None required.

.....

Note Parts 2-4 are not classified as hazardous according to Regulation EC No 1272/2008 (EU

CLP) and Hazard Communication Standard No. 1910.1200 (US OSHA). The

Parts of the kit may cause eye/skin irritation. Product/mixture not yet fully tested.

pharmacological, toxicological and ecological properties of this part/mixture have not been

fully characterized.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Part 1: TSP Sample Loading Reagent V2 (Part #: 101-7634)

Ingredient CAS # EINECS/ Amount GHS Classification ELINCS#

2-Pyrrolidinone 616-45-5 N/A 30-50% EC1:H318

Note 2-Pyrrolidinone is considered hazardous. The remaining components are non-hazardous

and/or present at amounts below reportable limits. See Section 16 for full text of GHS

classifications.

Parts 2-4

Other hazards

GHS Classification Tube Description CAS # EINECS/ Amount **ELINCS#** TSP DNA Polymerase (Part #: 101-0995) N/A Not classified N/A (mixture) ~100% TSP Master Mix (Part #: 101-3050/101-3055) N/A (Mixture) ~100% Not classified N/A PCR Water (Part #: 100-5941) ~100% Not classified N/A N/A

Note The components within Parts 2-4 are non-hazardous and/or present at amounts below

reportable limits.

SECTION 4 - FIRST AID MEASURES

Description of first aid measures

Immediate Medical

Yes

Eye Contact

If easy to do, remove contact lenses, if worn. Immediately flush eyes with copious quantities of water for at least 15 minutes. If irritation occurs or persists, notify medical

personnel and supervisor.

Skin Contact

Wash exposed area with soap and water and remove contaminated clothing/shoes. If

irritation occurs or persists, notify medical personnel and supervisor.

Inhalation

Immediately move exposed subject to fresh air. If not breathing, give artificial respiration. If breathing is labored, administer oxygen. Immediately notify medical personnel and

supervisor.

Ingestion

Do not induce vomiting unless directed by medical personnel. Do not give anything to drink unless directed by medical personnel. Never give anything by mouth to an

unconscious person. Notify medical personnel and supervisor.

Protection of first aid responders

See Section 8 for Exposure Controls/Personal Protection recommendations.

Most important symptoms and effects, both acute and delayed See Sections 2 and 11.

Fluidigm Corporation Issue date: May 2018



Product Identifier: Advanta™ NGS Preamp Reagent Kit

Catalog ID number: Cat# 101-7725, 101-7726

Medical conditions aggravated by exposure: None known or reported. Treat

SDS ID: 101-7933 Revision A1

Indication of immediate medical attention and special symptomatically and supportively. treatment needed, if

necessary

SECTION 5 - FIREFIGHTING MEASURES

Extinguishing media Use water spray (fog), foam, dry powder, or carbon dioxide, as appropriate for

surrounding fire and materials.

the substance or mixture

Specific hazards arising from No information identified. May emit carbon monoxide, carbon dioxide, nitrogen-, chloride-

, and metal-containing compounds.

Flammability/Explosivity Not expected to be flammable or explosive.

Advice for firefighters Wear full protective clothing and a self-contained breathing apparatus with a full facepiece

operated in the pressure demand or other positive pressure mode. Decontaminate all

equipment after use.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

If product is released or spilled, take proper precautions to minimize exposure by using appropriate personal protective equipment (see Section 8). Area should be adequately

ventilated. Do not breathe mist/vapors/spray.

Environmental precautions Do not empty into drains. Avoid release to the environment.

Methods and material for containment and cleaning up

DO NOT CAUSE MATERIAL TO BECOME AIRBORNE. For small spills, soak up material with absorbent, e.g., paper towels. For large spills, cordon off spill area and minimize the spreading of spilled material. Soak up material with absorbent. Collect spilled material, absorbent, and rinse water into suitable containers for proper disposal in accordance with applicable waste disposal regulations (see Section 13). Decontaminate the area twice with

an appropriate solvent (see Section 9).

Reference to other sections See Sections 8 and 13 for more information.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling Avoid breathing mist/vapors/spray. Do not permit eating/drinking/smoking near this

Conditions for safe storage

including any incompatibilities Store at -20 °C in a well-ventilated area; keep container upright and tightly closed.

Specific end use(s) No information identified.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Note Dispose of broken vials in a sharps container.

Control Parameters/Occupational **Exposure Limit Values**

The following values are for those ingredients in the parts of the kit that are considered hazardous.

Compound <u>Issuer</u> Type 2-Pyrrolidinone

Exposure/Engineering controls

None required for normal handling of packaged product. Selection and use of containment devices and personal protective equipment should be based on a risk assessment of exposure potential. Use local exhaust and/or enclosure at aerosol/mist-generating points. Emphasis is to be placed on closed material transfer systems and process containment, with limited open handling.

OEL

Fluidigm Corporation Issue date: May 2018



Product Identifier: Advanta™ NGS Preamp Reagent Kit

Catalog ID number: Cat# 101-7725, 101-7726

SDS ID: 101-7933 Revision A1

Respiratory protection None required for normal handling of packaged product. Choice of respiratory protection

should be appropriate to the task and the level of existing engineering controls. If needed for routine liquid handling tasks, an approved and properly fitted air purifying respirator should provide ancillary protection based on the known or foreseeable limitations of existing engineering controls. Use a powered air-purifying respirator equipped with HEPA filters or combination filters or a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, when exposure levels are not known, or in any other circumstances where a lower level of respiratory protection

may not provide adequate protection.

Hand protection Wear nitrile or other impervious gloves if skin contact is possible. When the material is

diluted in an organic solvent, wear gloves that provide protection against the solvent.

Skin protection Wear appropriate gloves, lab coat, or other protective overgarment if skin contact is

likely. Base the choice of skin protection on the job activity, potential for skin contact and

solvents and reagents in use.

Eye/face protection Wear safety glasses with side shields, chemical splash goggles, or full face shield, if

> necessary, especially for those parts of the kit that are irritants or corrosive to the eye. Base the choice of protection on the job activity and potential for contact with eyes or

face. An emergency eye wash station should be available.

Environmental Exposure

Controls

Avoid release to the environment and operate within closed systems wherever practicable. Air and liquid emissions should be directed to appropriate pollution control devices. In case of spill, do not release to drains. Implement appropriate and effective emergency response procedures to prevent release or spread of contamination and to

prevent inadvertent contact by personnel.

Other protective measures Wash hands in the event of contact with this product/mixture, especially before eating,

drinking or smoking. Protective equipment is not to be worn outside the work area (e.g.,

in common areas or out-of-doors).

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquids (supplied as individually packaged reagents)

Color Clear.

Odor No information identified. **Odor threshold** No information identified. pН No information identified.

Melting point/freezing

point

No information identified.

Initial boiling point and

boiling range

No information identified.

Flash point No information identified. **Evaporation rate** No information identified.

Flammability (solid, gas) No information identified.

Upper/lower flammability No information identified.

or explosive limits

Vapor pressure No information identified

Fluidigm Corporation Issue date: May 2018

Page 4 of 8



Product Identifier: Advanta™ NGS Preamp Reagent Kit

Catalog ID number: Cat# 101-7725, 101-7726

SDS ID: 101-7933 Revision A1

Vapor density No information identified.

Relative density No information identified.

Water solubility No information identified.

Solvent solubility No information identified.

Partition coefficient (n-

octanol/water)

No information identified.

Auto-ignition temperature No information identified.

Decomposition temperature

No information identified.

Viscosity
No information identified.

Explosive properties
No information identified.

Oxidizing properties No information identified.

Other information

Molecular weight Not applicable (Mixture)

Molecular formula Not applicable (Mixture)

SECTION 10 - STABILITY AND REACTIVITY

Reactivity No information identified.

Chemical stability Stable when stored as recommended.

Possibility of hazardous

reactions

No information identified.

Conditions to avoid No information identified.

Incompatible materials No information identified.

Hazardous decomposition

products

No information identified.

SECTION 11 - TOXICOLOGICAL INFORMATION

NoteNo data were identified for the product/mixture. The following information is for the

individual hazardous ingredients contained in some parts of the kit.

Information on toxicological effects

Route of entry May be absorbed by inhalation, skin contact and ingestion.

Acute toxicity

<u>Compound</u>	<u>Type</u>	<u>Route</u>	<u>Species</u>	<u>Dose</u>	
2-Pyrrolidinone	LD ₅₀	Oral	Rat	> 5 g/kg	
	LD ₅₀	IV	Rat	> 7.2 g/kg	
	LD ₅₀	Dermal	Rabbit	> 2 g/kg	
	LD ₅₀	Inhalation	Rat	> 80 ppm/8h	

Irritation/Corrosion Ocular administration of 2-pyrrolidinone caused irreversible clouding of rabbit cornea.

STOT-single exposure No studies identified.

Fluidigm Corporation Issue date: May 2018



Product Identifier: Advanta™ NGS Preamp Reagent Kit

Catalog ID number: Cat# 101-7725, 101-7726

SDS ID: 101-7933 Revision A1

STOT-repeated exposure/Repeat-dose

toxicity

In a 90-day study, rats were administered 2-pyrrolidinone up to 15,000 ppm in drinking water. Increased kidney weights were observed at the highest dose. Reduced food consumption and body weights were seen at ≥7,200 ppm. The NOAEL was 2,400 ppm.

Reproductive toxicity

Based on repeat dose and developmental studies, no damage to rat reproductive organs

was observed.

Developmental toxicity

In developmental studies in rats, embryotoxicity was observed at maternally toxic oral

doses of 600 mg/kg/day. Maternal toxicity was observed at ≥190 mg/kg/day.

Genotoxicity

2-Pyrrolidinone was not genotoxic in a battery of in vitro and in vivo assays.

Carcinogenicity

No studies identified. No ingredients contained in this product/mixture are listed by NTP,

IARC, ACGIH or OSHA as a carcinogen.

Aspiration hazard

No studies identified.

Human health data

See Section 2 - "Other hazards"

SECTION 12 - ECOLOGICAL INFORMATION

Toxicity

<u>Compound</u>	<u>Type</u>	<u>Species</u>	<u>Concentration</u>
2-Pyrrolidinone	EC ₅₀ /48h	Daphnia	13.2 mg/L
	LC50/96h	Fathead minnow	>4.6 g/L
	LC50/96h	Algae	84 mg/L

Persistence and Degradability No data identified for the components.

Bioaccumulative potential

No data identified

Mobility in soil

No data identified.

Results of PBT and vPvB

assessment

Not performed.

Other adverse effects

No data identified.

Note

The environmental characteristics of this product/mixture have not been fully investigated. The above data are for the active ingredient and/or any other ingredient(s)

where applicable. Releases to the environment should be avoided.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods

Dispose of wastes in accordance to prescribed federal, state, and local guidelines, e.g., appropriately permitted chemical waste incinerator. Do not send down the drain or flush down the toilet. All wastes containing the material should be properly labeled. Rinse waters resulting from spill cleanups should be discharged in an environmentally safe manner, e.g., appropriately permitted municipal or on- site wastewater treatment facility.

SECTION 14 - TRANSPORT INFORMATION

Based on the available data, this product/mixture is not regulated as a hazardous **Transport**

material/dangerous good under EU ADR/RID, US DOT, Canada TDG, IATA, or IMDG.

UN number None assigned.

UN proper shipping name None assigned.

Transport hazard classes and None assigned packing group

Environmental hazards

Based on the available data, this product/mixture is not regulated as an environmental

hazard or a marine pollutant.

Special precautions for users Avoid release to the environment.

Fluidigm Corporation Issue date: May 2018

Page 6 of 8



Product Identifier: Advanta™ NGS Preamp Reagent Kit

Catalog ID number: Cat# 101-7725, 101-7726

Transport in bulk according to Annex II of MARPOL73/78

ng Not applicable.

and the IBC Code

Hazardchem Code/HIN None assigned.

SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture This SDS complies with the requirements under US, EU and GHS (EU CLP - Regulation EC No 1272/2008) guidelines. Consult your local/regional authorities for more information.

SDS ID: 101-7933 Revision A1

Chemical safety assessment

Not conducted.

WHMIS classification

Part 1: EC1:H318

TSCA status

2-Pyrrolidinone is listed in TSCA.

SARA section 313

None of the ingredients of this product are listed.

California proposition 65
Component Analysis - State

None of the ingredients of this product are listed.

Component Analysis -

 $\ensuremath{\text{2-Pyrrolidinone}}$ is listed as hazardous in MA and PA.

Chemical Inventory

2-Pyrrolidinone is listed in the chemical inventory of the following countries: Australia, Canada, China, EU, New Zealand, the Philippines, and USA

Additional information

No other information identified.

SECTION 16 - OTHER INFORMATION

NFPA Ratings 2-

2-Pyrrolidinone

Health: 3

Fire: 1

Reactivity: 0

Full text of H phrases and GHS classifications

EC1 – Eye corrosion Category 1. H318 – Causes serious eye damage.

Sources of data

Information from published literature and internal company data.

Abbreviations

ACGIH - American Conference of Governmental Industrial Hygienists; ADR/RID - European Agreement Concerning the International Carriage of Dangerous Goods by Road/Rail; AIHA - American Industrial Hygiene Association; CAS# - Chemical Abstract Services Number; CLP - Classification, Labelling, and Packaging of Substances and Mixtures; DNEL - Derived No Effect Level; DOT - Department of Transportation; EINECS - European Inventory of New and Existing Chemical Substances; ELINCS - European List of Notified Chemical Substances; EU - European Union; GHS - Globally Harmonized System of Classification and Labeling of Chemicals; IARC - International Agency for Research on Cancer; IDLH - Immediately Dangerous to Life or Health; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; LOEL - Lowest Observed Effect Level; LOAEL - Lowest Observed Adverse Effect Level; MA -

Massachusetts; NIOSH - The National Institute for Occupational Safety and Health; NOEL - No Observed Effect Level; NOAEL - No Observed Adverse Effect Level; NTP - National Toxicology Program; OEL - Occupational Exposure Limit; OSHA - Occupational Safety and Health Administration; PA - Pennsylvania; PNEC - Predicted No Effect Concentration; SARA - Superfund Amendments and Reauthorization Act; STEL - Short Term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; US - United States; WHMIS - Workplace Hazardous

Materials Information System

History Revision A: (SSF) ECN-2933; Refer to PDM for date released; New SDS

Fluidigm Corporation Issue date: May 2018

Page 7 of 8



Product Identifier: Advanta™ NGS Preamp Reagent Kit Catalog ID number: Cat# 101-7725, 101-7726

Disclaimer

The information and recommendations in this safety data sheet are, to the best of Supplier's knowledge, accurate as of the date of issue. However, Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights. Read the Material Safety Data Sheet before handling product. For Research Use Only. Not for use in diagnostic procedures.

SDS ID: 101-7933 Revision A1

Fluidigm Corporation Issue date: May 2018